

### منابع

احسان منش، مجتبی؛ کریمی کیسمی، عیسی (۱۳۷۸). نگاهی به تاریخچه و برخی از پژوهشهای انجام گرفته در زمینه اعتیاد

در ایران. فصلنامه اندیشه و رفتار، شماره ۱۹، صفحه ۶۲-۷۸.

رستمی، رضا (۱۳۸۵). همه گیر شناسی سوء مصرف مواد در جامعه دانشجویان دانشگاه تهران.

بوالهری، جعفر (۱۳۸۱). ارزیابی سوء مصرف مواد مخدر در زندان های ایران. ستاد مبارزه با مواد مخدر.

سادوک، بنیامین؛ سادوک، ویرجینیا. (۱۳۸۸). خلاصه روانپزشکی. ترجمه فرزین رضایی. تهران: انتشارات ارجمند.

## References

- Alemi, A.A.(1978). The iceberg of opium addiction.An epidemiological survey of opium addiction in a rural community. *Drug and Alcohol Dependence*. 3(2):107-12.
- Anthony, J.C., (2003). Epidemiology of drug dependence. In: Galanter, M., Kleber, H.D, eds. *Text book of substance abuse treatment*. 3<sup>rd</sup> ed. Washington, D.C: the American Psychiatric Press.
- Bryan R.G.(2009).Research on the diffusion of evidence-based treatment with substance abuse treatment:A systematic review. *Journal of substance abuse treatment*, 36,376-399.
- Bashardoost, N., Tirani, M. (2003). Prevalence of addiction in males: Isfahan 2003. *Arya Journal*, 1(2):106-108
- Camacho,L.M, Bartholomew, N.G., Joe, G.W. ,& Simpson, D.D.(1997).Maintenace of high risk reduction among injection opioid users:a 12 month post –treatment follow-up. *Drug and alcohol dependence*,47,11-18.
- Cox, W.M., Fadardi, J.S., Pothos, E.M.(2006). The addiction-stroop test: Theoretical considerations and procedural recommendations. *Psychoogicall Bulletin*. 132(3):443-76.
- Donaher, P.A., Welsh, C. (2006). Managing opioid addiction with puprenorphine. *American family Physician*,73(9):1573-1582.
- Fadardi, J.S, Cox, W.M.(2008). Alcohol-attentional bias and motivational structure as independent predictors of social drinkers' alcohol consumption. *Drug Alcohol Dependence*. 97(3):247-56.
- Farrel, M., Howes, S., Bebbington, P., Brugha, T., Jenkins, R., Lewis, G., Marsden, J., Taylor, C., Meltzer, H. (2003).Nicotine, alcohol and drug dependence, and psychiatric

- comorbidity-Results of a national household survey. *International review of psychiatry*.15:50.
- Goodarzi, F., Karrari, P., Eizadi-Mood, N., Mehrpour, O., Misagh, R., Setude, S., Amrollahi, M. (2011). Epidemiology of drug abuse (chronic intoxication) and its related factors in a MMT clinic in Shiraz, southern Iran. *Iranian journal of toxicology*.4:377-380.
- Hubbard, R.L., Craddock, S.G., Anderson, J.(2003). Overview 5 year follow-up outcomes in the drug abuse treatment outcome studies(DATOS). *Journal of Substance Abuse Treatment*.25:125.
- Jaffe, J.H.(2000).substance related disorders:introduction and overview, In: Sadock, B.J., Sadock, V.A., eds. *Kaplan & Sadock comprehensive text book of psychiatry*.7<sup>th</sup> ed.vol.1.Baltimore:Lippincott Williams & Wilkins,:924.
- Johnston, L.D., Omalley, P.M., Bachman, J.G. (2002). Monitoring the future national results on drug use:overview of key findings. *National Institute on Drug Abuse*.
- Jarvis, T.J., Tebbutt, J., Mattick, R.P., Shand, F., Heather, N.(2005).Treatment approaches for alcohol and drug dependence:an introductory guide.2<sup>nd</sup> ed.Hoboken: *John Wiley & Sons incorporation*.
- Kendler, K.S., Jacobson, K.C., Prescott, C.A., Neale, M.C.( 2003 ). Specificity of genetic and environmental risk factors for use and abuse/dependence of cannabis, cocaine, hallucinogens, sedatives, stimulants, and opiates in male twins. *American Journal of Psychiatry*.160:687.
- Krantz, M.J., Jutinsky, I.B., Robertson, A.D., Mehler, P.S. (2003).Dose-related effects of methadone on QT prolongation in a series of patients with torsade de pointes. *Pharmacotherapy*.23:802.
- Loxterkamp D. (2006).Helping them:our role in recovery from opioid dependence. *Annals of Family Medicine*. 168-171.

- Moharreri, M.R.(1978). General View of Drug Abuse in Iran and aOne-Year Report of Outpatient Treatment of Opiate Addiction inthe City of Shiraz. In Peterson R (ed) 1978. The international Challenge of Drug Abuse. *National Institute on Drug Abuse*. Research Monograph 19: pp 69 – 79.
- Momtazi, S., Rawson, R. (2010).Substance abuse among Iranian high school students. *Current Cpinion in Psychiatry*. 23(3):221-6.
- Obert, J. L., McCann, M.J., Marinelli-Casey, P., Weiner, A., Minsky, S., Brethen, P., & Rawson,R. (2000). The matrix model of out patient stimulant abuse treatment:history and description. *journal cf psychoactive drugs*. 32, 157-164.
- Obert, J. L., London, E. D., & Rawson, R. A. (2002).Incorporating brain research findings into standard treatment: an example using the Matrix Model. *Journal cf Substancet Abuse Treament*. 23(2), 107-113.
- Obert, J.L., Brown, A.H., Zweben, J., Christian, D., Delmhorst, J., Minsky, S., Morrisey, P., Vandersloot, D., Weiner, A.(2005).When treatment meets research: Clinical perspectives from the CSAT Methamphetamine Treatment Project. *Journal Cf Substance Abuse Treatment*. 28(3):231-7.
- Pagnin, D., De Queiroz V., Saggese E.G. (2005). Predictors of attrition from day treatment of adolescents with substance-related disorders. *Addiction Behavior*. 30: 1065-1069.
- Rawson,R.A., Obert, J. L., McCann, M.J., Smith, D.P., & Sceffey, E.H. (1989).The neurobehavioral treatment manual. *Beverly Hills, CA:Matrix*.
- Rawson,R.A., Obert, J. L., McCann, M.J. (1995). The Matrix Intensive Outpatient Program Therapist Manuel. Los Angeles, California. *The Matrix Center incorporation*.
- Rawson,R.A., Shoptaw, S. J., Obert, J. L., McCann, M.J., Hasson, A., Marinelli-Casey, P., Brethen, P., & Ling, W. (1995).An intensive outpatient approach for cocaine abuse treatment: the Matrix Model. *Journal cf substance abuse treatment*, 12, 117-127.

- Rawson, R. A., Marinelli-Casey, P., Anglin, M. D., Dickow, A., Frazier, Y., Gallagher, C., (2004). A multi-site comparison of psychosocial approaches for the treatment of methamphetamine dependence. *Addiction*, 99(6), 708-717.
- Razzaghi, E.M., Rahimi, A., Hosseni, M., Madani, S. (1998). Rapid situation assessment (RSA) of drug abuse in Iran. *Prevention department, state welfare organization, ministry of health, I.R. of Iran and United Nations international drug control program.*
- Ray, O., Ksir, C. (2002). *Drugs, society, and human behavior*. 9<sup>th</sup> edition. *McGraw-Hill Higher Education.*
- Reid, G., Costigan, G. (2002). A Situation Assessment of Drug Use in Asia in the context of HIV/AIDS. *The Centre for Harm Reduction, The Burnet Institute, Australia.*
- Shoptaw, S., Rawson, R.A., McCann, M.J., & Obert, J. L. (1994). The Matrix model of outpatient stimulant abuse treatment: Evidence of efficacy. *Journal of Addictive Diseases*, 13, 129-141.
- Siassi, I., Fozouni, B. (1980). Dilemmas of Iran's opium maintenance program: an action research for evaluating goal conflicts and policy changes. *International Journal of Addiction*, 15(8):1127-40.
- Suelves, J.M. Preparing professionals to treat substance-related disorders. (2005). *Psych-critiques*. 50.
- Torney, C.B., Favrat, B., Monnat, M., Daepfen, J.B., Schynder, C., Bertschy, G., Besson, J. (2003). Ultra-rapid opiate detoxification using deep sedation and prior oral buprenorphine preparation. Long-term results. *Drug alcohol dependence*, 69:283.
- Weisner C, Matzger H, Kaskutas LA. (2003). How important is treatment? one year outcomes of treated and untreated alcohol-dependent individuals. *Addiction*. 98:901.
- Yifrah C. (2005). Challenges and opportunities of group therapy for adolescents substance abuse: A critical review. *Addictive behaviors*. 30:1765-1774.